




OHANA 30




OHANA 30 - OPTION A

SCALE: 1/8" = 1'-0"

SQUARE FOOTAGE SQUARE FOOTAGE KEY

INTERIOR = 723 GSF
COVERED LANAI = 977 GSF

GSF = GROSS SQUARE FOOTAGE
EXTERIOR OF WALLS
NSF = NET SQUARE FOOTAGE
INTERIOR OF WALLS




OHANA 30 - OPTION B

SCALE: 1/8" = 1'-0"

SQUARE FOOTAGE SQUARE FOOTAGE KEY

INTERIOR = 890 GSF
COVERED LANAI = 810 GSF

GSF = GROSS SQUARE FOOTAGE
EXTERIOR OF WALLS
NSF = NET SQUARE FOOTAGE
INTERIOR OF WALLS




OHANA 30 - OPTION C

SCALE: 1/8" = 1'-0"

SQUARE FOOTAGE SQUARE FOOTAGE KEY

INTERIOR = 1,053 GSF
COVERED LANAI = 647 GSF

GSF = GROSS SQUARE FOOTAGE
EXTERIOR OF WALLS
NSF = NET SQUARE FOOTAGE
INTERIOR OF WALLS



OHANA 30 - OPTION D

SCALE: 1/8" = 1'-0"

SQUARE FOOTAGE SQUARE FOOTAGE KEY

INTERIOR = 755 GSF
COVERED LANAI = 327 GSF

GSF = GROSS SQUARE FOOTAGE
EXTERIOR OF WALLS
NSF = NET SQUARE FOOTAGE
INTERIOR OF WALLS